

HISTORY-PAST HISTORY	DIAGNOSIS	SURGERY	REMARK
Laparotomy twice, 1 CS	Adenomyosis, bil Ovarian cyst	Lap adhesinolysis, enterolysis, bil salpingo-ovariolysis, TLH with BSO. Both ovaries had 7-8 cm pus.	Post-operative psychosis, recovered after treatment
Prev CS, 2 nd trimester D & E done twice in 4 days	Intraperitoneal haemorrhage Uterine, bladder perforation	Lap suturing of uterus and bladder injury, fetal parts and placenta removed	Post-op-After 7 days- Cystoscopy-normal. After 4 months- Hysteroscopic adhesinolysis for ashermans, Cavity made normal
2 CS, HT, DM, donated 1 kidney, anaemia	Adenomyoma, Adenomyosis, right Hydrosalpinx, rt endometrioma	Adhesinolysis, enterolysis, bil salpingo-ovariolysis, TLH with BSO	Uneventful
Laparoscopy twice, past history of Tuberculosis, Anaemia	Large fibroid uterus, 26 week uterus	TLH, morcellation	Uneventful
Age-67 yrs-post-menopausal	Ca Endometrium	Lap bil Lymphadenectomy, Pan-hysterectomy	Uneventful
1 CS, Lap myomectomy, appendicectomy	Fibroid uterus	TLH with bil Salpingectomy, omental adhesinolysis, 4 cm peritoneal fibroid removed by reopening vault	Uneventful
23 yrs-Single kidney	Mullerian agenesis MMK syndrome	Laparoscopic Vaginoplasty by modified Vecchetti procedure, 26 th procedure new designed traction device used	All surgeries in the series (unpublished data) successful, no complications 7 -8 cm vagina day 8 PO
Nulliparous pt	21 cm para-ovarian cyst	Lap cystectomy-prim Endotip trocar in cyst cavity -6.5 lit fluid drained, cystectomy done.	
Infertility	Vaginal,Cervical intra-ut septum	Division of complete vaginal, cervical, intra-ut septum, Lap caut. of Endometriotic lesion.	Patient conceived within 6 months. (5 th in the series of single stage surgery for vaginal, cervical, intrauterine septa)
Multipara, severe Menorrhagia	15 cm posterior wall fibroid	Lap myomectomy, cavity not opened	Uneventful

1 Laprotomy, 1 Laparoscopy, 1 CS	Adenomyosis, Adenomyoma, ut 14 weeks	Severe adhesinolysis, TLH with BSO rt ov abscess- endometrioma, bil salpingo- ovariolysis, partial morcellation	Uneventful
Unmarried-43 yrs	2 Submucous fibroids-4 cm-4 cm size	Hysteroscopic myomectomy with bipolar resectoscope	Uneventful
HIV +ve	Complete Vault prolapsed with cystocele	Lap. Colposacropexy	Successful repair
HIV +ve, G3P3, all preterm, all died	Infertility	Hysteroscopy-Laparoscopy	HIV with Sec. TB of Genital tract and Lymphnodes
58 yrs-HT	Post abdominal Hysterectomy T-O mass	Lap. Adhesinolysis, salpingo- ovariolysis, bil Salpingectomy, lt oophorectomy, Interceed	Uneventful
28 yrs, G1P1	3 rd degree uterine prolapse	Lap. Cervicosacropexy, bil LOD (3D)	Uneventful
43 yrs, prev CS	Adenomyosis, Rt 15 cm, lt 5 cm Endometrioma, lt T-O mass	Adhesinolysis, TLH with Rt S-O, lt Salpingectomy	Uneventful
35 yrs, 100 kg, Unmarried, severe Menorrhagia, DM, HT, Hypothyroidism	Cervical fibroid (7 cm) attached to external os	Hysteroscopy guided removal of Fibroid	Cured
2 CS, 2 Laparoscopy, HT	15 cm left Hydrosalpinx	Lap. Total Salpingectomy	Uneventful
2 CS, RHD MS with TR	Adenomyosis	TLH with bil Salpingectomy	Uneventful
IVF twins pregnancy, P/H/O AKT	1 intra-ut and 1 left corneal ectopic preg (5 weeks)	Lap. Removal of lt isthmic ectopic ruptured preg.	Now it is 10 weeks SIULP
130 kg, 1 CS BMI>35	Left Ovarian cyst	TLH with BSO	
Multi gravida	11 cm Right ovarian Dermoid, no spillage endobag removal	Lap. Right S-O	
Multigravida, postmenopausal, Asymptomatic	4 cm fundal polyp	Hyst. Resection with bipolar resectoscope	Uneventful
K/C/O CRF, on dialysis, Abdominal pain 2 months, Ovarian cyst persistant, occ fever for 2 months Hb: 7.8, 6 month ML	Right ovarian abscess	Lap. Extensive Adhesinolysis, enterolysis, drainage of abscess, removal of abscess wall.	Pelvic drain kept for 3 days. Sudden Bleeding from skin incision drain site, Venous bleed, skin sutured by 1 stich

38 yrs, 2 CS, Hb: 9 gms%, HT	Large fibroid ut (28 weeks)	TLH, Rt S-O, Lt S.	Largest in the series of TLH Unebventful
8 yrs Infertility, 1 lap-post-op. 4 Luprides were given 2 yrs back.	Polyp, Infertility	Lap severe adhesinolysis, bil salpingo-ovariolysis, frozen pelvis/ hyst rem of polyp with versapoint	
23 years unmarried, central lower abdominal pain, premenstrual spotting	Bilateral large endometrioma, endometriosis	Laparoscopic excision of bilateral endometrioma, POD adhesinolysis	Uneventful on OC pills
21 years with lower abdominal pain	20 cm ovarian cyst, possible endometrioma	Laparoscopic excision of cyst, suturing of ovary,	Uneventful
45 yrs 89 kg Menorrhagia	16 wks multiple fibroid previous 2 LSCS , incisional hernia	TLH with bilateral salpingectomy, repair of accidental bladder injury, Incisional hernia repair without mesh	SR catheter kept for 7 days PO